

FRONTIER®

Frontier® is an economical air and water hose. It covers a wide range of industrial, construction and agricultural applications. Available in 200 and 300 PSI working pressures. Frontier® hose does not meet Non-Conductive requirements.

Performance + Specs

Tube

- EPDM Rubber

Cover

- EPDM Rubber

Reinforcement

- Spiral Synthetic Yarn
- 2" is Braided Synthetic Yarn

Temperature Range

- -40°F / -40°C ~ 210°F / 99°C

Design Factor

- 4:1

Packaging

- 3/16" to 3/4" - 500ft Reels
- 1" - 450ft Reels
- 1-1/4" - 400ft Reels
- 1-1/2" - 300ft Reels
- 2" - 200ft Boxes
- Max 3 Piece Reels, 50ft Min. length
- 2" Max 4 Piece Box, 50ft Min. length

Coupling

- *Refer to the Continental Industrial Hose Assembly Manual for crimp specifications.

Non Stock / Sizes

- For special production run minimum requirements, Contact Customer Service

Branding

Continental Frontier® 1" (25.4mm) 200 PSI WP Made in USA

Frontier® 200 READY 2 GO

Order Codes: 569-547 (Blue), 569-011 (Red), 536-035 (2" Black), 536-040 (2" Red), 569-009 (Black)

Product Numbers

ID (in)	ID (mm)	Nom. OD (in.)	Nom. OD (mm)	Length (ft)	Color	Min. Burst (PSI)	Min. Burst (Mpa)	Bend Radius (in.)	Bend Radius (mm)	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
3/16	4.57	0.44	11.10	500	Black	800	5.52	2.25	57.15	200	1.38	0.08	0.12	20025544
1/4	6.35	0.50	12.70	25	Red	800	5.52	3.00	76.20	200	1.38	2.42	3.61	20129541
				50	Red	800	5.52	3.00	76.20	200	1.38	4.85	7.22	20132830
				500	Black	800	5.52			200	1.38	0.10	0.14	20025553
				500	Blue	800	5.52	3.00	76.20	200	1.38	0.10	0.14	20026919
				500	Red	800	5.52	3.00	76.20	200	1.38	0.10	0.14	20025735
5/16	7.90	0.58	14.80	500	Black	800	5.52	3.75	95.25	200	1.38	0.13	0.19	20025565
				500	Red					200	1.38	0.13	0.19	20025748
3/8	9.60	0.67	17.00	25	Red	800	5.52	4.50	114.30	200	1.38	3.98	5.92	20129544
				25	Red	800	5.52	4.50	114.30	200	1.38	3.98	5.92	20129680
				50	Red	800	5.52	4.50	114.30	200	1.38	7.95	11.83	20129545
				50	Red	800	5.52	4.50	114.30	200	1.38	7.95	11.83	20132831
				100	Red	800	5.52	4.50	114.30	200	1.38	15.90	23.66	20129682
				500	Black	800	5.52	4.50	114.30	200	1.38	0.16	0.24	20025572
				500	Blue	800	5.52	4.50	114.30	200	1.38	0.16	0.24	20338093
				500	Red	800	5.52	4.50	114.30	200	1.38	0.16	0.24	20025750
1/2	12.70	0.81	20.60	50	Red	800	5.52	6.00	152.40	200	1.38	10.65	15.85	20132832
				500	Black	800	5.52	6.00	152.40	200	1.38	0.21	0.32	20025591
				500	Blue	800	5.52	6.00	152.40	200	1.38	0.21	0.32	20026921
				500	Red	800	5.52	6.00	152.40	200	1.38	0.21	0.32	20025773
5/8	15.90	0.97	24.60	500	Black	800	5.52	7.50	190.50	200	1.38	0.30	0.44	20025610
				500	Blue	800	5.52	7.50	190.50	200	1.38	0.30	0.44	20026923
				500	Red	800	5.52	7.50	190.50	200	1.38	0.30	0.44	20025787
3/4	19.10	1.12	28.40	50	Red	800	5.52	9.00	228.60	200	1.38	0.37	0.56	20025809
				500	Black	800	5.52	9.00	228.60	200	1.38	0.38	0.56	20025619
				500	Blue	800	5.52	9.00	228.60	200	1.38	0.38	0.56	20026925
				500	Red	800	5.52	9.00	228.60	200	1.38	0.38	0.56	20025799
1	25.40	1.44	36.60	450	Black	800	5.52	12.00	304.80	200	1.38	0.59	0.87	20025714
				450	Blue	800	5.52	12.00	304.80	200	1.38	0.58	0.87	20026928
				450	Red	800	5.52	12.00	304.80	200	1.38	0.58	0.87	20025966
1-1/4	31.80	1.73	44.00	400	Black	800	5.52	15.00	381.00	200	1.38	0.83	1.24	20025649
				400	Red	800	5.52	4.50	114.30	200	1.38	0.83	1.23	20025826
1-1/2	38.10	1.98	50.40	300	Black	800	5.52	18.00	457.20	200	1.38	0.96	1.42	20025655
				300	Blue	800	5.52	18.00	457.20	200	1.38	0.95	1.42	20340494
				300	Red	800	5.52	18.00	457.20	200	1.38	0.95	1.42	20025834
2	50.80	2.50	63.50	200	Black	800	5.52	24.00	609.60	200	1.38	1.26	1.88	20022897
				200	Red	800	5.52			200	1.38	1.28	1.90	20022939

Frontier® 300 READY **2** GO

Order Codes: 569-557 (Red)

Product Numbers

ID (in)	ID (mm)	Nom. OD (in.)	Nom. OD (mm)	Length (ft)	Color	Min. Burst (PSI)	Min. Burst (Mpa)	Bend Radius (in.)	Bend Radius (mm)	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
1/4	6.35	0.53	13.40	50	Red	1200	8.27	3.00	76.20	300	2.07	6.20	9.23	20147625
				100	Red	1200	8.27	3.00	76.20	300	2.07	12.40	18.45	20147626
3/8	9.60	0.68	17.30	50	Red	1200	8.27	4.50	114.30	300	2.07	9.15	13.62	20147627
1/2	12.70	0.84	21.30	50	Red	1200	8.27	6.00	152.40	300	2.07	12.60	18.75	20147629
				100	Red	1200	8.27	6.00	152.40	300	2.07	25.20	37.50	20147650

Frontier® 300

Order Codes: 569-562 (Blue), 569-557 (Red), 569-559 (Black), 569-560 (Green), 569-516 (Yellow)

Product Numbers

ID (in)	ID (mm)	Nom. OD (in.)	Nom. OD (mm)	Length (ft)	Color	Min. Burst (PSI)	Min. Burst (Mpa)	Bend Radius (in.)	Bend Radius (mm)	WP (PSI)	WP (MPa)	Weight (lbs/ft)	Weight (kg/m)	Part Number
1/4	6.35	-	-		Blue					300	2.07	6.20	9.23	20029102
1/4	6.35	0.53	13.40	50	Red	1200	8.27	3.00	76.20	300	2.07	0.12	0.18	20026963
				500	Red	1200	8.27	3.00	76.20	300	2.07	0.12	0.18	20026960
1/4	6.40	0.53	13.40	500	Black	1200	8.27	3.00	76.20	300	2.07	0.12	0.19	20026997
5/16	7.90	0.61	15.60	500	Red					300	2.07	0.16	0.24	20026967
3/8	9.60	0.68	17.27		Blue					300	2.07	9.15	13.62	20029107
					Blue					300	2.07	54.90	81.70	20029109
					Blue					300	2.07	4.58	6.81	20029105
3/8	9.60	0.68	17.30	50	Red	1200	8.27	4.50	114.30	300	2.07	9.15	13.62	20134964
				50	Red	1200	8.27	4.50	114.30	300	2.07	9.15	13.62	20134967
				50	Red	1200	8.27	4.50	114.30	300	2.07	0.18	0.27	20026977
				100	Red	1200	8.27	4.50	114.30	300	2.07	18.30	27.23	20147628
				500	Black	1200	8.27	4.50	114.30	300	2.07	0.18	0.27	20027001
				500	Green	1200	8.27	4.50	114.30	300	2.07	0.18	0.27	20761181
				500	Red	1200	8.27	4.50	114.30	300	2.07	0.18	0.28	20026971
				500	Yellow	1200	8.27	4.50	114.30	300	2.07	0.18	0.27	20127382
1/2	12.70	0.84	21.30	500	Black	1200	8.27	6.00	152.40	300	2.07	0.25	0.38	20027003
				500	Green	1200	8.27	6.00	152.40	300	2.07	0.25	0.38	20761182
				500	Red	1200	8.27	6.00	152.40	300	2.07	0.25	0.38	20026980
				500	Yellow	1200	8.27	6.00	152.40	300	2.07	0.25	0.38	20127385
5/8	15.90	1.00	25.40	500	Black	1200	8.27	7.50	190.50	300	2.07	0.33	0.49	20335180
				500	Red					300	2.07	0.33	0.49	20650869
3/4	19.10	1.15	29.21	500	Blue	1200	8.27	9.00	228.60	300	2.07	0.42	0.62	20136745
3/4	19.10	1.15	29.20	50	Green	1200	8.27	9.00	228.60	300	2.07	20.65	30.73	20027014
				50	Red	1200	8.27	9.00	228.60	300	2.07	0.41	0.61	20026987
				500	Black	1200	8.27	9.00	228.60	300	2.07	0.42	0.62	20183079
				500	Green	1200	8.27	9.00	228.60	300	2.07	0.42	0.62	20048519
				500	Red	1200	8.27	9.00	228.60	300	2.07	0.41	0.61	20026985
				500	Yellow	1200	8.27	9.00	228.60	300	2.07	0.42	0.62	20026845
1	25.40	1.47	37.30	450	Black	1200	8.27	12.00	304.80	300	2.07	0.67	1.00	20027011
				450	Green	1200	8.27	12.00	304.80	300	2.07	0.67	1.00	20048546
				450	Red	1200	8.27	12.00	304.80	300	2.07	0.67	1.00	20026992
				450	Yellow	1200	8.27	12.00	304.80	300	2.07	0.67	1.00	20026859